

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

	List PWSAD #s for all Water Systems Covered by this CCR
The F confid must b	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer lence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR we mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: 6////
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: / /
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: The Cocenwood Commonwood 14h
	Date Published: 6/1/11
	CCR was posted in public places. (Attach list of locations)
	Date Posted: 5/24/11, water office
	CCR was posted on a publicly accessible internet site at the address: www
	FICATION
onsister	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State tent of Health, Bureau of Public Water Supply.
Name/1	itle (President, Mayor, Owner, etc.) Cork Cork Date
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
	Phone: 601-576-7518

570 East Woodrow Wilson ● Post Office Box 1700 ● Jackson, Mississippi 39215-1700 601/576-7634 ● Fax 601/576-7931 ● www.HealthyMS.com

2011 19 7 01 01 0.00

2010 Annual Drinking Water Quality Report Pelucia Rural Water Association, Inc. PWS#: 080003, 080004, 080015 and 080017 May 2011

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Tallahatta Formation and the Meridian Upper Wilcox Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Pelucia Rural Water Association have received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Charles Mims at 662-455-2660. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Monday of each month at 6:00 PM at the Pelucia office building.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWSID #	# 008000	3	•	TEST RESU	ILTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contami	inants						
10. Barium	N	2008*	.010	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead	N	2008*	1	0	ppb	0	AL=15	Corrosion of household plumbing

Chlorine	Υ	2010	.1.58	.8 - 9	ppm	0	MRDL = 4	Water additive used to control
						i		microbes

PWS ID#:		<u> </u>		EST RESU			,	
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2008*	.042	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride	N	2008*	.117	No Range	ppm	4		
17. Lead	N	2008*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	on By-Pı	roducts						
Chlorine	N	2010 .8	35 .8	-1 p	pm	0 MR		Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG) MC	L Likely Source of Contamination
Inorganio	Contan	ninants						
10. Barium	N	2008*	.037	No Range	ppm		2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead	N N	2008*	5	0	ppb		0 AL=	 Corrosion of household plumbing systems, erosion of natural deposits
Disinfecti	on By-Pi	roducts					***************************************	
Chlorine	N	2010 .	5 .5	-1 p	pm	0 N	IRDL = 4	Water additive used to control microbes

PWS ID#:	0080017	7	T	EST RESU	LTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG		MCL	Likely Source of Contamination
Inorganic	Contam	inants							
10. Barium	N	2008*	.037	No Range	ppm	2	2	Discharge of discharge fro erosion of na	drilling wastes; m metal refineries; tural deposits
16. Fluoride	N	2008*	.262	No Range	ppm	4	4	additive whic	tural deposits; wate h promotes strong ge from fertilizer n factories
17. Lead	N	2008*	4	0	ppb	0	AL=15		nousehold plumbing sion of natural

Disinfectio	n By-	Produc	ts					
82. TTHM [Total trihalomethanes]	N	2008*	22.5	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2010	.83	.7 – 1	ppm	0	MRDL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2010.

Our water system #80003 violated a drinking water standard for the Disinfection By-Product Rule by exceeding the MRDL for Chlorine in October 2010.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Pelucia Rural Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2010 Annual Drinking Water Cuality Report Polucia Rural Water Association, inc. PWS#: 080003, 080004, 080015 and 080017 May 2011

We'n pleased to present to you this year's Armal Challify Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Overhalling pair to provide you will have been asset and dependent explaintly of well to when you be uncleased and protect our years to confund with many control of the confundity interpret to water treatment process and approach our years respectives. Whe are committed to execute the control you wast. Our water source is from walls drawing from the Tallehallis Formulation and the Medician Ligher Villicary. Augusts.

The scarce value assessment has been campioted for our public value system to determine the overall susceptibility of its direlating whater arraphy to determine the overall susceptibility of the direlating selection to each way of containmentation. The determinant is each way of the system are provided immediately believe, theyor contains greated mentally detailed formulation and the susceptibility determinations were made has been strained to both the susceptibility and the susceptibility with the susceptibility of the su

I for the very externor should be seen for command your value, after, please comfact Charles Mora is 662–55-2600. We want our valued customes because their sees calls the forest calls the forest calls to be common above any or our regularly about ideal meetings. They were not on the common should be more is 6,000 PM of their deals of the fall builds.

We notherly montor for considerable in your drivings water according to Foderal and State, lave, This table before little all of the drivings were forecasted with the propert of America's for Scotland water according to 1500.

In some case, where distincted water posted of America or the surface of the Control of March 1500 and the March 1500 and the Control of March 1500 and the March 1

in this table you will find many terms and abbreviations you might not be familiar with. To help you better understend these same we've provided the following certificians:

Action Level - the concentration of a contaminant which, if exceeded, traggers treatment

Mozhum Contambari Leve) (MCU, - The "Maximum Allowed" (MCU) is the Naptest level of a contaminant that is silowed in dishing weter MCLs are set as close to the MCLSs as featble issing the teast evollable treatment sechrelosy.

Manitrum Contaminant Level Goal (MCLG) -The 'Goal'(MCLG) is the level of a contaminant in diriking water below which there is no known or expected risk to health. MCLGs allow from amagin of safety.

Voxinum Residuel Disinfedant Level (MRDL) — The highout level of a disinfactant allowed in christing weter. There is convincing evidence that addition of a disinfectant is necessary to control interpolal contaminants. Nouman Roadoul Districciant Level Goal (MRDLG).—The level of a chinking water distributiont below which there is no known or expected isk of health. IMRDLGs do not reflect the benefits of the use of distributionals to control microbial contaminants.

Turts per million (opin) or Miligrams partitles (mg/) - one part per million corresponds to one minute in two years or a striple peanty in \$10,000.

PWSID # 0080003 TESTRESULTS	00800	03		TEST RESULTS	SLT		
Conteminard	Violation Y-M	Violation Date:	Cerel	Lovel Range of Detects Detected or # of Samples Exceeding MOLYACL	2	KCLG MICL	Dpt: MCLG MCI. Likely Source of Contembration assure.
Inorganic Contaminants	Ontan	inants					
10. Batum	z	2008	.010	No Range	wax	2	2 Discharge of drilling westes; discharge from metal refinance; entosion of habitral deponds.
17. Load	z	2008	1	0	eg G	0 ALen	AL#15 Conceion of rousehold plumbing systems, ension of natural deposits
Disinfection By-Products	By-Pı	oducts					
Chlarino		Y 2010 7.68 8-9	85	mod 6		MROL # 4	0 MRDL = 4 Water additive used to control microbia

			nation		20 05 20 05	ta: water strong filzer and	umbing le		lo
microbas			MCLG MCL Likely Source of Contamination		2 Discharge of drilling wastes; discharge from metal retinerie erosion of natural deposits.	Erosion of natural deposate; water additive which promotes strong teeth; discharge from fertilizer, and sturninum factories.	AL=15 Corresion of household plumbing systems, aroslon of hatural deposits		0 MRDL = 4 Water additive used to control
E			ď		8	•	AL=15		* 4 W
			STOWN TO STORY		2	7	0		MRDL
		LS	Unit Messure- ment	36	mdd	E de	qda		maa
		TEST RESULTS	Range of Dotects or # of Samples Exceeding MCL/ACL			No Range	٥		
		F	Level		.042 No Range	.117	2		.3-1
	0.000		Date	ants	2008		2006*	lucts	382
		80004	Violation Y/N	ntamin			z	By-Proc	N 2010
		PWS ID#: 0080004	Contaminant	Inorganic Contaminants	38)	9	17. Load	Disinfection By-Products	Chlorine

T ALC TOUR PROPERTY	3			2000				The state of the s
Conteminant	Violation	Date Collected	Level	Range of Detects or # of Samples. Exceeding MCL/ACL	Unit Measure- ment	MGG	MCI	Likely Source of Contamination
Inorganic Contaminants	Contam	inants						
10. Barlum	2_	2008•	200	No Range		2	2	Discharge of drilling wastes: discharge from metal refineres, erosion of natural deposits
7. Load	z	2008*	le .	0	quid	o	AL*15	
Disinfection By-Products	n By-Pr	oducts						
Chlorine	2	2010	9	5-1 pp	wdd	0 188	MRDL = 4 M	Water additive used to control microbes
PWS ID#: 0080017	.100800			TEST RESULTS	LTS			
Contaminant	Violation	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure ment	S WCI'C		MCL. Likely Source of Contemination
Inorganic Contaminants	Contam	inants						
10. Barium	z	2008	8	No Reingo	E C	[2	Discharge of thilling wastes, discharge from metal rafinenses, erosion of natural deposits
16. Fluoride	z	.2008	29 2	No Range	wat	4	•	1122 2 1 1 1 1
17, Lead	z	2008	•	G	qdd	o	ALw15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection By-Products	n By-Pı	roducts						
62. TTMM Total	z	2008	\$22	No Funge	8	o	8	By-product of drinking water chornation.
Chlorine	z	2010	88	7-1	Edd	O N	MRDL = 4	Water additive used to control

Our water system #80000 violated a christing water standard for the Distribution By-Product Pulls by exceeding the MPDL for Chilotine in October 2010.

We ge required to matter your deriving varier for specific constituents on a monthly blook filestills of regular metalering on an indication of what less of or constitution of metalering on an indication of what less of metalering the constitution of the constitution of metalering requirement, MSDH row matter systems of sign states for any sold of the complete of the constitution operation.

It protects, devented levels of hand can course sention hands preventing upon program even or young efficiency and in principle, or protecting the program revenue or young efficiency level to protect the protection of the protec

All sources of directing water the subject to potential contentiation by abbettainces that are neutrally cocuming or munimeds. These substances can be independently hypothesis of organic contentials and enderwise telestations, the direction was not hybridized predict where they are concerned to content is best and accounted of some contentials. The presence of contential cases are contentials. The presence of contential dates for consistently inflation that the way process a shall be able to be contential to the contential of the contential or the contential or the content of the contential or the contential or the content of the content of the contential or the content of the content of the content of the contential or the content of th

Some packe (they be more violentate to containments in dening value than the queriest population, termono-comportated between such his pagestes with capacity independently persons and the result of the composition of the c

The Policias Rival Welst Association works around the clock tip provide top quality water to every up. We ask that all our customers help us protect our vester accurace, which are the heart of our community, our way of the and our child """".

Wednesday, June 1, 2011

2011 311 -3 311 9:31

Pelucia Rural Water Association, Inc. 682 County Road 23 Greenwood, MS 38930 662-455-2660 June 2, 2011

Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

RE Published CCR Report

Please find enclosed information for the 2010 CCR report and newspaper copy published 06/01/11. Please call if you need any other information

Thank you,

Rosiland Daves

Clerk for

Pelucia Rural Water Association, Inc.